

mk_graph Manual

Edition : 2009.02.12

OpenXM.org

1 Function Manual

1.1 Outline

1.2 Notation

1.3 Functions

1.3.1 mtg.plot3d

```
mtg.plot3d(formula)
    :: Draw a graph of formula
mtg.plot3d(formula | options)
    :: Draw a graph of formula. Optional arguments are described below.
return    List
formula  Expression or quote data. It should be a function in x, y.
optinal arguments
    domain    List. [[xmin,xmax],[ymin,ymax]]
    mesh      Natural number. Division number to mesh the region.
```

- Details have not been written. See examples.

```
[1210] import("mt_graph.rr");
[1211] mtg.test2();
[1210] import("mt_graph.rr");
[1211] mtg.plot3d(x^2-y^2);
[1210] import("mt_graph.rr");
[1211] mtg.plot3d(x^2-y^2 | domain=[[-1,1],[1,1]]);
[1210] import("mt_graph.rr");
[1211] def myfunc(X,Y) { if (X*Y < 0) return 0; else 1;}
[1212] mtg.plot3d(quote(myfunc(x,y)*x*y));
```

1.3.2 mtp.parametric_plot3d

```
mtp.parametric_plot3d(formula)
    :: Draw a graph of formula
mtp.parametric_plot3d(formula | options)
    :: Draw a graph of formula. Optinal arguments are described below.
return    List
```

formula Expression or quote data. It should be a function in *s*, *t*.

optimal arguments

domain List. [[xmin,xmax],[ymin,ymax]]

mesh Natural number. Division number to mesh the region.

fitting If it is set to 0, then automatic fitting to the z-direction is not done.

- Details have not been written. See examples.

```
[1210] import("mt_graph.rr");
[1211] mtp.test5(); /* Klein bottle (8 figure) */
[1210] import("mt_graph.rr");
[1211] mtp.parametric_plot3d([s,t,s^2-t^2]);
[1210] import("mt_graph.rr");
[1211] def myfunc(X,Y) { if (X*Y < 0) return 0; else 1;}
[1212] mtp.parametric_plot3d([s,t,quote(myfunc(s,t)*s*t) | fitting=0);
```

Index

(Index is nonexistent)

(Index is nonexistent)

Short Contents

1	Function Manual	1
	Index	3

Table of Contents

1	Function Manual	1
1.1	Outline.....	1
1.2	Notation.....	1
1.3	Functions.....	1
	1.3.1 mtg.plot3d.....	1
	1.3.2 mtp.parametric_plot3d.....	1
	Index	3