

Dsolv

Edition : auto generated by oxgentexi on 28 April 2024

1 DSOLV

```
. [SST] . load("dsolv.rr");. Diff Dmodule .
OpenXM/Risa/Asir ,
load("dsolv.rr");$

.
ox_sm1 . sm1 .
```

1.1

1.1.1 dsolv_dual

```
dsolv_dual(f,v)
:: f
```

f, v
• v, f .
• f, v , primary . primary , .

Algorithm: [SST] Algorithm 2.3.14 . x, y, \dots $\log(x), \log(y), \dots, \log, f_{-}(x \rightarrow x*dx, y \rightarrow y*dy, \dots)$.

```
[435] dsolv_dual([y-x^2,y+x^2],[x,y]);
[x,1]
[436] dsolv_act(y*dy-sm1.mul(x*dx,x*dx,[x,y]),log(x),[x,y]);
0
[437] dsolv_act(y*dy+sm1.mul(x*dx,x*dx,[x,y]),log(x),[x,y]);
0

[439] primadec([y^2-x^3,x^2*y^2],[x,y]);
[[[y^2-x^3,y^4,x^2*y^2],[y,x]]]
[440] dsolv_dual([y^2-x^3,x^2*y^2],[x,y]);
[x*y^3+1/4*x^4*y, x^2*y, x*y^2+1/12*x^4, y^3+x^3*y,
 x^2, x*y, y^2+1/3*x^3, x, y, 1]

[441] dsolv_test_dual();
Output is omitted.
```

1.1.2 dsolv_starting_term

```
dsolv_starting_term(f,v,w)
:: f w Staring terms . , v .
```

f, v, w

- *f w* Staring terms . , *v* .
- : [[*e*₁, *e*₂, ...], [*s*₁, *s*₂, ...]] *e*₁ exponent *s*₁ , .
- *Dsolv_message_starting_term* 1 , .

Algorithm: Saito, Sturmfels, Takayama, Grobner Deformations of Hypergeometric Differential Equations ([SST]), Chapter 2.

```
[1076] F = sm1.gkz( [ [[1,1,1,1,1],[1,1,0,-1,0],[0,1,1,-1,0]], [1,0,0]] );
      [[x5*dx5+x4*dx4+x3*dx3+x2*dx2+x1*dx1-1,-x4*dx4+x2*dx2+x1*dx1,
      -x4*dx4+x3*dx3+x2*dx2,
      -dx2*dx5+dx1*dx3,dx5^2-dx2*dx4],[x1,x2,x3,x4,x5]]
[1077] A= dsolv_starting_term(F[0],F[1],[1,1,1,1,0])$
```

Computing the initial ideal.
Done.
Computing a primary ideal decomposition.
Primary ideal decomposition of the initial Frobenius ideal
to the direction [1,1,1,1,0] is

```
[[[x5+2*x4+x3-1,x5+3*x4-x2-1,x5+2*x4+x1-1,3*x5^2+(8*x4-6)*x5-8*x4+3,
      x5^2-2*x5-8*x4^2+1,x5^3-3*x5^2+3*x5-1],
      [x5-1,x4,x3,x2,x1]]]
```

----- root is [0 0 0 0 1]
----- dual system is

```
[x5^2+(-3/4*x4-1/2*x3-1/4*x2-1/2*x1)*x5+1/8*x4^2
 +(1/4*x3+1/4*x1)*x4+1/4*x2*x3-1/8*x2^2+1/4*x1*x2,
 x4-2*x3+3*x2-2*x1,x5-x3+x2-x1,1]
```

```
[1078] A[0];
[[ 0 0 0 0 1 ]]
[1079] map(fctr,A[1][0]);
[[[1/8,1],[x5,1],[log(x2)+log(x4)-2*log(x5),1],
      [2*log(x1)-log(x2)+2*log(x3)+log(x4)-4*log(x5),1]],
      [[1,1],[x5,1],[-2*log(x1)+3*log(x2)-2*log(x3)+log(x4),1]],
      [[1,1],[x5,1],[-log(x1)+log(x2)-log(x3)+log(x5),1]],
      [[1,1],[x5,1]]]]
```

Index

(Index is nonexistent)

(Index is nonexistent)

Short Contents

1 DSOLV	1
Index	3

Table of Contents

1 DSOLV	1
1.1	1
1.1.1 dsolv_dual	1
1.1.2 dsolv_starting_term.....	1
Index	3

