

Mathematica OX server

Edition : auto generated by oxgentexi on 28 April 2024

1 Mathematica

```

Mathematica  ox  ox_math .      mathematica.rr  load("mathematica.rr")$ .
mathematica.rr $(OpenXM_HOME)/lib/asir-contrib .

: ox_reset .

[258] load("mathematica.rr")$
m Version 19991113. mathematica.start, mathematica.tree_to_string, mathematica.n_Eigen
[259] mathematica.start();
ox_math has started.
ox_math: Portions copyright 2000 Wolfram Research, Inc.
See OpenXM/Copyright/Copyright.mathlink for details.
0
[260] mathematica.n_Eigenvalues([[1,2],[4,5]]);
[-0.464102,6.4641]

```

Mathematica is the trade mark of Wolfram Research Inc. This package requires Mathematica Version 3.0, so you need Mathematica to make this package work. See <http://www.wolfram.com>. The copyright and license agreement of the mathlink is put at `OpenXM/Copyright/Copyright.mathlink`. Note that the licence prohibits to connect to a mathematica kernel via the internet.

Author of `ox_math`: Katsuyoshi Ohara.

1.1

1.1.1 mathematica.start

```

mathematica.start()
    :: Localhost ox_math .

return
• Localhost ox_math . ox_math .
• Xm_noX =1 , ox_math debug window .
• M_proc .
P = mathematica.start()

ox_launch

```

1.1.2 mathematica.tree_to_string

```

mathematica.tree_to_string(t)
    :: ox_math Mathematica t asir .

return
t
• t ox_math Mathematica .
• ox_math Mathematica t asir .

```

- *t* asir , . *t*, , m_-, .

```
[267] mathematica.start();
0
[268] ox_execute_string(0,"Expand[(x-1)^2]");
0
[269] A=ox_pop_cmo(0);
[Plus,1,[Times,-2,x],[Power,x,2]]
[270] mathematica.tree_to_string(A);
(1)+((-2)*(x))+(x^(2))
[271] eval_str(@);
x^2-2*x+1
[259] mathematica.tree_to_string(["List",1,2]);
[1 , 2]
[260] mathematica.tree_to_string(["Plus",2,3]);
(2)+(3)
[261] mathematica.tree_to_string(["Complex",2.3,4.55]);
mathematica.complex(2.3 , 4.55)
[362] mathematica.tree_to_string(["Plus",["Complex",1.2,3.5],1/2]);
(mathematica.complex(1.2 , 3.5))+(1/2)
[380] eval_str(@);
(1.7+3.5*i)

ox_pop_cmo, eval_str, mathematica.rtomstr
```

1.1.3 mathematica.rtomstr

```
mathematica.rtomstr(t)
    :: t Mathematica .

return
t

- t Mathematica . , asir [, ] , Mathematica {, } .


```
[259] mathematica.rtomstr([1,2,3]);
{1,2,3}
[260] mathematica.rtomstr([[1,x,x^2],[1,y,y^2]]);
{{1,x,x^2},{1,y,y^2}}
. mathematica.inverse(M) ox_math M. mathematica.inverse(M) r_tostr(M) asir
Mathematica ox_execute_string Mathematica .

def inverse(M) {
 P = 0;
 A = mathematica.rtomstr(M);
 ox_execute_string(P,"Inverse["+A+"] ");
 B = ox_pop_cmo(B);
 C = mathematica.tree_to_string(B);
 return(eval_str(C));
}
```

```

```
[269] M=[[1,x,x^2],[1,y,y^2],[1,z,z^2]];
[[1,x,x^2],[1,y,y^2],[1,z,z^2]]
[270] A=mathematica.inverse(M)$
[271] red(A[0][0]);
(z*y)/(x^2+(-y-z)*x+z*y)

ox_execute_string, ToExpression(Mathematica), mathematica.tree_to_
string
```

Index

(Index is nonexistent)

(Index is nonexistent)

Short Contents

1	Mathematica	1
Index		4

Table of Contents

1 Mathematica	1
1.1	1
1.1.1 <code>mathematica.start</code>	1
1.1.2 <code>mathematica.tree_to_string</code>	1
1.1.3 <code>mathematica.rtomstr</code>	2
Index	4

